

---

# **PyTistory Documentation**

***0.0.1.dev2***

**Jeong Ukjae**

**2018 07 20**



---

## Contents

---

<b>1</b>		<b>3</b>
1.1	. . . . .	3
1.2	Blog API	5
1.3	Post API	7
1.4	Category API	9
1.5	Comment API	9
1.6	Guestbook API	10
<b>2</b>		<b>11</b>



PyTistory [API](#) Python API [API](#) Client-side flow [.](#)



# CHAPTER 1

---

---

## 1.1


### 1.1.1

```
pytistory pip .
```

```
$ pip install pytistory
```

### 1.1.2

```
, API OAuth . API client_id . API , .
```



, Callback .

PC , Callback `http://0.0.0.0:5000/callback.` . . / .

### 1.1.3

- `configure access_token`
  - `configure client_id, tistory_id, tistory_password`
  - `configure file_name`
  - 
  - `(~/pytistory/credentials.ini)`
- `,, client_id file_name , client_id .`
- `access_token , access_token .`

#### Access Token

```
from pytistory import PyTistory

pytistory = PyTistory()
pytistory.configure(
    access_token='some-example-access-token')
```

```
from pytistory import PyTistory

pytistory = PyTistory()
pytistory.configure(
    client_id='some-example-client-id',
    tistory_id='some-example-tistory-id',
    tistory_password='some-example-tistory-password')
```

```
from pytistory import PyTistory

pytistory = PyTistory()
pytistory.configure(
    file_name='./some/path/to/credentials.ini')
```

ini(Initialization) .

```
[pytistory]
client_id=some-client-id
tistory_id=some-tistory-id
tistory_password=some-tistory-password
```

```
export PYTISTORY_CLIENT_ID=some-example-client-id
export PYTISTORY_TISTORY_ID=some-example-tistory-id
export PYTISTORY_TISTORY_PASSWORD=some-example-tistory-password
```

## 1.2 Blog API

### 1.2.1 Blog

API. API .

```
from pytistory import PyTistory

pytistory = PyTistory()
pytistory.configure()

response = pytistory.blog.info()
```

```
{  
    "status": "200",  
    "id": "blogtest_080@hanmail.net",  
    "item": [  
        {  
            "url": "http://oauth.tistory.com",  
            "secondaryUrl": "http://",  
            "nickname": "Tistory API",  
            "title": " Tistory OAuth API !",  
            "description": "",  
            "default": "Y",  
            "blogIconUrl":  
                "http://i1.daumcdn.net/cfs.tistory/blog/79/795307/index.gif",  
            "faviconUrl":  
                "http://i1.daumcdn.net/cfs.tistory/blog/79/795307/index.ico",  
            "profileThumbnailImageUrl":  
                "http://cfile1.uf.tistory.com/R106x0/1851DB584DAF942950AF29",  
            "profileImageUrl":  
                "http://cfile1.uf.tistory.com/R106x0/1851DB584DAF942950AF29",  
            "statistics": {  
                "post": "3",  
                "comment": "0",  
                "trackback": "0",  
                "guestbook": "0",  
                "invitation": "0"  
            }  
        },  
        {  
            "url": "http://oauth2.tistory.com",  
            "secondaryUrl": "http://",  
            "nickname": "Tistory API",  
            "title": " ",  
            "description": "",  
            "default": "N",  
            "blogIconUrl":  
                "http://i1.daumcdn.net/cfs.tistory/blog/79/795308/index.gif",  
            "faviconUrl":  
                "http://i1.daumcdn.net/cfs.tistory/blog/79/795308/index.ico",  
            "profileThumbnailImageUrl": "",  
            "profileImageUrl": "",  
            "blogId": "795308",  
            "statistics": {  
                "post": "0",  
                "comment": "0",  
                "trackback": "0",  
                "guestbook": "0",  
                "invitation": "0"  
            }  
        }  
    ]  
}
```

## 1.3 Post API

### 1.3.1

API API .

```
from pytistory import PyTistory

pytistory = PyTistory()
pytistory.configure()

response = pytistory.post.list(blog_name='oauth')
```

```
{
  "status": "200",
  "item": [
    {
      "url": "http://oauth.tistory.com",
      "secondaryUrl": "",
      "page": "1",
      "count": "10",
      "totalCount": "4",
      "posts": [
        {
          "post": [
            {
              "id": "4",
              "title": "OAuth Open API !",
              "postUrl": "http://oauth.tistory.com /4",
              "visibility": "0",
              "categoryId": "0",
              "comments": "6",
              "trackbacks": "0",
              "date": "1303796661"
            },
            {
              "id": "3",
              "title": "View ~",
              "postUrl": "http://oauth.tistory.com /3",
              "visibility": "3",
              "categoryId": "0",
              "comments": "0",
              "trackbacks": "0",
              "date": "1303372106"
            },
            {
              "id": "2",
              "title": "View .",
              "postUrl": "http://oauth.tistory.com /2",
              "visibility": "3",
              "categoryId": "0",
              "comments": "0",
              "trackbacks": "0",
              "date": "1303372007"
            },
            {
              "id": "1",
              "title": "View .",
              "postUrl": "http://oauth.tistory.com /1",
              "visibility": "3",
              "categoryId": "0",
              "comments": "0",
              "trackbacks": "0",
              "date": "1303371999"
            }
          ]
        }
      ]
    }
  ]
}
```

(continues on next page)

```
( )
    "title": " OAuth2.0 API !",
    "postUrl": "http://oauth.tistory.com /1",
    "visibility": "0",
    "categoryId": "0",
    "comments": "0",
    "trackbacks": "0",
    "date": "1303352668"
}
]
}
}
```

### 1.3.2

API API .

```
from pytistory import PyTistory

pytistory = PyTistory()
pytistory.configure()

response = pytistory.post.write("Post Title",
                                blog_name='sampleUrl',
                                visibility=1,
                                category=12,
                                content="Post Content",
                                tag=["Tag1", "Tag2"])
```

.

**title** . str.

**blog\_name** . None. str.

**target\_url** url. deprecated . None. str.

**visibility**

- 0:
- 1:
- 2:
- 3:

0.

**published** . .., None. datetime.datetime.

**category** ,0. . 0.

**content** , None str.

**slogan** . . . None.

**tag** , None. list.

.

```
{
  "status": "200",
  "postId": "74",
  "url": "http://sampleUrl.tistory.com/74"
}
```

### 1.3.3

API, API .

```
from pytistory import PyTistory

pytistory = PyTistory()
pytistory.configure()

response = pytistory.post.modify("Post Title",
                                  1,
                                  blog_name='sampleUrl',
                                  visibility=1,
                                  category=12,
                                  content="Post Content",
                                  tag=["Tag1", "Tag2"])
```

API, .

published , int post\_id .

```
{
  "status": "200",
  "postId": "74",
  "url": "http://sampleUrl.tistory.com/74"
}
```

## 1.4 Category API

### 1.4.1 Category

## 1.5 Comment API

### 1.5.1

### 1.5.2

**1.5.3**

**1.5.4**

**1.5.5**

## **1.6 Guestbook API**

**1.6.1**

## CHAPTER 2

---

---

. Contribution . , PR Issue .